

INDUSTRIAL & AUTOMOTIVE SUPPLIER




WHAT WE DO

At Una General Trading, we do more than just trading. We provide solutions for your industrial and automotive needs. Whether you need lubricants, chemicals, adhesives, or gaskets we have the right products for you. We source our products from reliable and reputable suppliers across the globe, ensuring the highest quality and competitive pricing. We also deliver our products to your doorstep in a timely and efficient manner. We are not just a supplier, we are your partner in success. We are Una General Trading, the answer to all your general trading needs.

PRODUCT CATALOG

sales@unadxb.com


OUR PRODUCT CATEGORIES





PASTES

ANTI FRICTION
COATINGS/DRY
LUBRICANTS




OILS



GREASES

PRECISION
CLEANERSINSULATING
VARNISHESINDUSTRIAL
DEGREASERSCORROSION
INHIBITORS

SEALANTS

MOLD
MAINTENANCEWELDING SPATTER
RELEASESLIQUID DYE
PENETRANTSOIL AND GAS VALVE
LUBRICANTSFOOD GRADE
LUBRICANTSANTI-SEIZE
COMPOUNDS

HAND CLEANERS



Una
General Trading

MESSAGE FROM THE DIRECTOR

Una General Trading is a leading supplier of industrial maintenance, repair, operations (MRO) products in the Middle East. We have a wide range of products for the industrial and automotive sector. For the industrial sector, we are providing oils, greases, thread compounds, thread lockers, anti-seize compounds, precision cleaners, hand cleaners, adhesives, drilling compounds, food-grade lubricants, wall lubricants, and more. We distribute petrol & diesel additives, coolants, RTV gasket makers, epoxies, bio-based cleaners/degreasers, and more for the automotive sector.



Our **mission** is to provide high-quality products and services to our customers across the globe, by leveraging our expertise, experience, and network in the trading industry. We are committed to excellence, innovation, and customer satisfaction.

Our **vision** is to become a leading general trading company that drives growth, sustainability, and social impact in the global market. We aspire to create long-term value for our customers, partners, employees, and communities.


Vijesh Kumar

Managing Director



Una
General Trading

OUR BRANDS



areon



LOXEAL

LOCTITE

CAMP

OUR PRODUCTS



Exclusive Distributor

WATERWELD



WaterWeld is a waterproof, hand-mixable epoxy putty that seals cracks and repairs pipes and other surfaces exposed to water

Model No:8277 |Pack: 2 oz

HIGHHEAT



HighHeat is a heat-resistant, hand-mixable epoxy putty that fills gaps and seals cracks on high-temperature surfaces

Model No:8297 |Pack: 2 oz

MINUTEWELD



MinuteWeld is a clear-curing epoxy adhesive that sets in 1 minute

Model No:50101 |Pack: 25 ml

CLEARWELD



ClearWeld is a clear-curing epoxy adhesive that sets quickly and provides strong adhesion.

Model No:50112 |Pack: 25 ml

PLASTICWELD



PlasticWeld is a high-strength epoxy adhesive that provides a quick-setting, bond to rigid plastics.

Model No:50132 |Pack: 25 ml

CLEARWELD - PRO SIZE



Clear Weld is a quick setting, multipurpose two part epoxy that provides a strong and lasting bond on most surfaces including tile, most plastics, ceramic, glass, wood and metal.

Model No:50240 |Pack: 4 oz

MUFFLER SEAL



Muffler Seal is a sealing paste formulated to resist heat on mufflers and tailpipes.

Model No:37906 |Pack: 6 oz

VALVE GRINDER



JB Weld Valve Grinder is a water-based odorless and abrasive paste designed to aid in valve grinding and lapping operations on engines to remove burrs, surface defects, deposits and corrosion.

Model No :37801 |Pack: 1.5 oz

EXTREME HEAT



Extreme Heat is a steel-reinforced paste formulated to seal cracks on metal in high-temperature environments.

Model No :37901 |Pack: 3 oz

RTV SILICONE GASKET MAKER AND SEALANT



This Silicone gasketing material designed for use in mechanical assemblies where maximum petroleum and oil resistance is required.

Model No:32329 |Pack: 3 oz

HI-TEMP RED



A room temperature vulcanized silicone gasketing material, designed for use in mechanical assemblies where the existence of higher, continuous temperatures up to 550° F or 650° F intermittent might exist.

Model No:31914 |Pack: 10.3 oz

ORIGINAL COLD WELD STEEL EPOXY



J-B Weld is The Original Cold Weld™ two-part epoxy system that provides strong, lasting adhesion and gap-filling to metal and other surfaces.

Model Non:8265S |Pack: 2 oz

KWIKWELD EPOXY TWIN PACK



J-B Weld two-part epoxy cold weld system that provides strong, lasting repairs to metal and multiple other surface types.

Model No:8271 |Pack: 10 oz

MARINEWELD - WATERPROOF WHEN CURED



MarineWeld is a specially formulated two-part epoxy system that provides strong, lasting repairs for boats and other marine equipment.

Model No:8272 |Pack: 2 oz

QUICK SETTING



J-B WELD two-part epoxy cold weld system that provides strong, lasting repairs to metal and multiple other surface types.

Model No:8276 |Pack: 2 oz

ORIGINAL COLD WELD



J-B Weld™ is The Original Cold Weld two-part epoxy system that provides strong, lasting repairs to metal and multiple surfaces.

Model No: 8281 |Pack: 10 oz

TANKWELD



TankWeld is a fuel-resistant hand-mixable epoxy putty that seals and repairs metal tanks.

Model No: 8217 |Pack: 2 oz

STEELSTIK



SteelStik is a hand-mixable epoxy putty that fills gaps, seals cracks, and provides structural repair on steel and other metal surfaces.

Model No: 8267 |Pack: 3.5 oz

KWIKWOOD



KwikWood is a hand-mixable epoxy putty for easy wood repair, filling, and sealing.

Model No: 8257 |Pack: 1 oz

PLASTIC BONDER (TAN)



Plastic Bonder is a flexible, strong adhesive that provides long-lasting bonding and gap-filling solutions to most plastics.

Model No: 50133 |Pack: 25 ml

PLASTIC BONDER (BLACK)



PlasticBonder is a flexible, strong adhesive that provides long-lasting bonding and gap-filling solutions to most plastics

Model No: 50139 |Pack: 25 ml

WOODWELD



WoodWeld is a no-foam adhesive for bonding and repairing exterior or interior wood.

Model No: 50151 |Pack: 25 ml

ORIGINAL COLD WELD



J-B Weld is our Original Cold-Weld™ epoxy in an easy-to-use syringe dispenser for strong, lasting adhesion.

Model No: 50165 |Pack: 25 ml

MARINEWELD



MarineWeld is an adhesive & gap filler that provides waterproof, impact and UV-resistant bonds to fiberglass, most plastics, and other surfaces.

Model No: 50172 |Pack: 25 ml

KWIKWELD



This epoxy cold weld system provides strong, lasting repairs to metal and multiple other surface types. After mixing, it forms a permanent bond and can be shaped, tapped, filed, sanded and drilled after curing.

Model No: 50176 |Pack: 25 ml

FIBERWELD PERMANENT REPAIR CAST



FiberWeld Permanent Repair Cast is a high-strength fiberglass wrap, permeated with a specially-formulated resin that hardens like steel in 15 minutes.

Model No: 38236 |Pack: 2 in x 36 in

FIBERWELD 1" PIPE REPAIR CAST



FiberWeld 1" Pipe Repair Cast is a high-strength fiberglass wrap, permeated with a specially-formulated resin to repair pipes up to 1" in diameter.

Model No: 38248 |Pack: 2 in x 48 in

FIBERWELD 2" PIPE REPAIR CAST



FiberWeld 2" Pipe Repair Cast is a high-strength fiberglass wrap, permeated with a specially-formulated resin to repair pipes up to 2" in diameter.

Model No: 38260 |Pack: 2 in x 60 in

EXHAUSTWELD 2" X 72" REPAIR WRAP



A High Strength Fiberglass Wrap, Impregnated With a Specially Formulated Resin for High Temperature Resistant Repairs.

Model No: 82572 |Pack: 2 in X 72 in

CLEAR RTV



J-B Weld Clear Silicone Sealant & Adhesive is a general purpose sealant adhesive, RTV (Room Temperature vulcanized) Silicone designed for use in household or mechanical assembly applications.

Model No: 31310 |Pack: 3 oz

WHITERTV SILICONE SEALANT



J-B Weld White Silicone Sealant & Adhesive is a general purpose Sealant Adhesive RTV (Room Temperature Vulcanized) Silicone designed for use in household or mechanical assembly applications.

Model No: 31312 |Pack: 3 oz

HI-TEMP RED GASKET MAKER



A room temperature vulcanized Silicone gasketing material, designed for use in mechanical assemblies where the existence of higher, continuous temperatures up to 550° F or 650° F intermittent might exist.

Model No: 31314 |Pack: 3 oz

BLUE SILICONE GASKET MAKER



A room temperature vulcanized Silicone gasketing material designed for use in mechanical assemblies, sealing and bonding uneven surfaces.

Model No: 31316 |Pack: 3 oz

BLACK RTV SILICONE SEALANT



A room temperature vulcanized Silicone, designed for sealing and bonding uneven surfaces. Upon curing, which occurs when the product is exposed to the moisture in air, waterproof seal on most surfaces.

Model No: 31319 |Pack: 3 oz

SUPERWELD GLUE



SuperWeld is a specially formulated cyanoacrylate Super Glue that provides a strong, instant bond in just seconds. It works on multiple and hard-to-bond surfaces. The brush applicator (6g size) allows for even surface application.

Model No: 33120 |Pack: 20 g

METAL FUEL TANK REPAIR KIT



TANK WELD: Our Metal Fuel tank repair kit has all you need for making professional quality, permanent repairs with state of the art components and easy to follow instructions.

Model No: 2110 |Pack: 1 pc

WINDSHIELD SAVER REPAIR KIT



J-B Windshield Saver is a patented windshield repair system that allows for the DIY repair of damage such as "bullseye", "star", and "stone chips" up to 1-1/4" diameter.

Model No: 2100 |Pack: 2 oz

MIRRORWELD ADHESIVE



J-B Weld MirrorWeld is a specially formulated adhesive specifically designed to bond rear view mirrors to windshields.

Model No: 33701 |Pack: 0.4 ml

PERMA-LOCK MEDIUM STRENGTH THREADLOCKER



A reliable and superior lock and seal for threaded fasteners. Ideal on all mechanical parts, body assemblies, and hundreds of other applications to prevent loosening of fasteners from shock and vibration.

Model No: 24236 |Pack: 36 ml



Authorized Distributor

OKS UNIVERSAL GREASE



Fully synthetic high-performance grease for long-term lubrication of machine elements at high temperatures, speeds and loads.

Model No: 422 |Pack: 1 kg

OKS SILICONE RELEASE AGENT, SPRAY



Colourless parting agent and lubricant on silicone oil basis.

Model No:1361 |Pack: 400 ml

OKS HIGH-PERFORMANCE AND TEMPERATURE GREASE



Semi-synthetic lithium complex soap grease with a wide range of applications in a wide range of temperatures.

Model No: 404 |Pack: 1 kg

OKS INDUSTRIAL CLEANER



Highly concentrated cleaner on water basis for removing oily, greasy and sooty soiling.

Model No: 2650 |Pack: 5 ltr

OKS RUST REMOVER WITH MOS₂, SPRAY



OKS 611 is a universal rust dissolver with molybdenum disulphide for industry, workshop and maintenance applications.

Model No: 611 |Pack: 400 ml

OKS-MOS₂ MULTIPURPOSE GREASE



OKS 400 is a multipurpose high-performance grease with MoS₂ for universal use.

Model No: 400 |Pack: 1 kg

OKS LEAK DETECTOR, SPRAY



Leak detector for locating of leaks on lines, apparatuses and containers under internal pressure.

Model No: 2801 |Pack: 400 ml

OKS UNIVERSAL CLEANER, SPRAY



Residue-free evaporating universal cleaner for cleaning machine parts and material surfaces.

Model No:2611 | Pack:500 ml

OKS ADHESIVE LUBRICANT WITH PTFE, SPRAY



Fully synthetic high-performance oil with PTFE and excellent adhesive properties.

Model No:3751 |Pack: 400 ml

OKS 341 – CHAIN PROTECTOR,



Synthetic lubricant for indoor and outdoor machine elements subjected to high pressure or corrosive influences.

Model No: 341 |Pack: 400 ml

OKS COMPRESSED-AIR SPRAY



OKS 2731 is a compressed-air spray for removal of loose dirt particles at inaccessible points.

Model No: 2731 |Pack: 400 ml

OKS MARINE GREASE



OKS 403 is a marine grease for lubrication of machine elements subjected to water or sea water.

Model No:403 | Pack: 1 kg

OKS SYNTHETIC HIGH TEMPERATURE GREASE



Synthetic grease for bearing points subject to extremely high temperatures and corrosive environmental influences.

Model No: 424 |Pack: 1 kg

OKS WHITE ALLROUND PASTE



High-temperature paste on ceramic basis for lubricating heavily loaded sliding surfaces.

Model No: 250 |Pack: 1 kg

OKS WHITE UNIVERSAL GREASE



Universal grease with white solid lubricants and NSF H2 approval.

Model No: 470 |Pack: 1 kg

OKS FAST CLEANER, SPRAY



Residue-free evaporating fast cleaner for cleaning machine parts and material surfaces.

Model No:2661 | Pack: 600 ml

OKS MULTI-SILICONE GREASE



Highly adhesive transparent silicone grease for fittings, seals and plastic parts.

Model No: 1110
Pack: 10 g, 400 ml, 500 g

OKS CONTACT CLEANER, SPRAY



OKS 2621 is a contact cleaner to remove soiling that can cause creepage currents.


Model No: 2621 |Pack: 400 ml

OKS MOS₂ ASSEMBLY PASTE



OKS 200 is a MoS₂-paste for assembly lubrication for press-on processes.

Model No: 200 |Pack: 1 kg



ASV[®]

MOLYSULF

Exclusive Distributor

1330 ADHESIVE CHAIN LUBRICANT, SYNTHETIC



- High load carrying and extreme pressure properties
- Highly adhesive with very good vertical cling properties and does not get thrown off or drip off
- Operating temperature range -30°C to +200°C

Model No: IPack: 500 ml

AQUA BLUE 50



- Removes oil, grease, dirt & sludge deposits
- Biodegradable & leaves no residue
- Multipurpose foaming formula
- Non-flammable & non abrasive
- Equals performance of solvent based degreasers

Model No: IPack: 1 ltr

PAINT & GASKET REMOVER



- Removes gaskets, paints, sealants & varnishes
- Fast acting formula cleans dried grease & oil
- Protects surface finish from excessive scraping

Model No: IPack: 500 ml

BRIGHT ZINK



- Superb adhesion on substrate materials
- Protects from salt water corrosion
- Provides excellent cathodic protection
- Actively protects from scratches and abrasion

Model No: IPack: 500 ml

RNC 60 HEAVY DUTY CORROSION INHIBITOR



- Firm waxy film completely seals out moisture
- Prevents formation of rust & corrosion
- Resistant to humidity & salt spray
- Provides long term corrosion protection

Model No: IPack: 500 ml

SHINY GALVA



- 99.9% purity zinc & aluminum coating
- Brilliant silver metallic finish
- Fast air drying
- Protects against corrosion
- High performance

Model No: IPack: 500 ml

SILICON LUBE



- Operating temperature range -40°C to +200°C

Model No: IPack: 500 ml

CS 20 CABLE CLEAR SPRAY



- High powered cleaning action
- Quick evaporation
- Non-staining & non-corrosive
- Non-Flammable

Model No: IPack: 500 ml

CS 60 HEAVY DUTY CLEANER



- No flash formula
- Suited for energized equipment
- High powered cleaning action
- Evaporates fast & leaves no residue

Model No: IPack: 500 ml

PRECISION EQUIPMENT CLEANER, ELECTRICALS



- Fast drying
- Quick evaporation & leaves no residue
- Safe on plastic, metal & other substrates
- Rapidly cleans & restores contacts

Model No: IPack: 500 ml

CFC FREE CONTACT CLEANER



ASV Contact Cleaner is a high purity cleaner designed to clean electrical connection and contact improve performance and prevent failures.

Model No: IPack: 500 ml

PRECISION PARTS & CONTACT CLEANER, ELE



- Non flammable
- Evaporates fast
- Leaves no residue
- Safe on most plastics

Model No: IPack: 500 ml


CP 45 COPER LUBE



Extremely wide service temperature ranges from -18°C to +1100°C.
□ Eliminates metal-to-metal contact and maintains lubrication qualities under wide variations of temperature, pressures and adverse operating conditions.

Model No: IPack: 500 g


BELT DRESSING



- Safe for use on all round, flat & V-belts
- Stops squeaking, slippage & improves traction
- Reduces energy loss & increases belt life

Model No: IPack: 500 ml

FREEZE AND PENETRATE



- Opens rusted components by rapid freezing & chilling action
- Penetrates faster & deeper to enable non-destructive disassembly

Model No: IPack: 500 ml

1600 DRY FILM PTFE LUBRICANT



- Lowers friction, prevents galling and seizure
- Non-staining, chemically inert and safe on most materials
- Operating temperature range -180°C to +250°C

Model No: IPack: 500 ml

DF 8221 DRY FILM MOS2 LUBRICANT



- Low coefficient of friction; high surface load and pressure withstanding capacity
- Lubricates under adverse operating environments such as in vacuum or near radiation

Model No: IPack: 500 ml


4298 SILICONE MOLD RELEASE



- Prevents sticking
- Maximum efficiency & economy
- Fewer rejects & more production
- Excellent For High Temperatures
- Improves Product Surface Finish

Model No: IPack: 500 ml

CS 82 ODC FREE METAL SURFACES CLEANER/DEGREASER



- Removes grease, oil, dirt, dust
- Non corrosive & non staining
- No chlorinated solvents
- Pleasant citrus odor fast evaporating & leaves no residue

Model No: IPack: 500 ml

SS CLEAN 1 CLEANER CUM POLISH



- Removes grease, oil, dirt, dust, sludge
- Non-corrosive & non-staining
- Leaves ultra-thin invisible protective residual film

Model No: |Pack: 500 ml

DRY GRAPHITE LUBE



- Lowers friction, prevents galling and seizure
- Does not attract dust and resists dirt buildup
- Provides oil free lubrication to sliding components
- Operating temperature range to +500°C

Model No: |Pack: 500 ml

GR 20 GRAPHITE GREASE



- Very good oxidation resistance
- Low vapor pressure & low volatility
- Very low bleed at high temperatures
- Service rating from -40°C to +200°C

Model No: |Pack: 1 kg

RL 1



- Extreme pressure semi fluid grease
- Contains MOS2 lubricating solids
- Provides lubrication & corrosion protection
- Service rating from -25°C to +150°C

Model No: |Pack: 5 kg /18 kg

WIRE ROPE & GEAR LUBE



- Extreme pressure semi fluid grease
- Contains graphite & high load carrying lubricating solids
- Service rating from -20°C to +140°C

Model No: |Pack: 500 g

A 130 METAL FREE, HIGH TEMPERATURE ANTISEIZE PASTE



- Lower breakout torque
- Prevents bolt breaking, sintering, fusion, seizure, stress cracking and distortion of threads
- Operating temperature range -40°C to +1500°C

Model No: |Pack: 500 g

ASTC COPPER & SOLID LUBRICANTS BASED ANTISEIZE



- Ensures consistent tightening of threaded connections and provides an optimum balance between torque required to tighten and pretension

Model No: |Pack: 500 g /1 kg

RG PASTE



- Low coefficient of friction
- High pressure withstanding capacity
- Operating temperature range -25°C to +450°C

Model No: Pack: 500 g /1 kg

FM 3000 SYNTHETIC OILS (PAO)



Fluid Lubricants for Gearboxes, Chains, Bearings

Model No: |Pack: 1 ltr

FM 279 FOOD GRADE CHAIN LUBRICANT



- Operating temperature range 0°C to +165°C

Model No: |Pack: 500 ml

CRACK TESTING DYE PENETRANT FLAW IDENTIFICATION KIT



- Extremely low content of sulfur & chlorine
- Meets & confirms to specifications & requirements of MIL-I-25135 / IS 3658 (1981) / ASME Code Section V & Per RDSO Specifications M&C/NDT/105/2001

Model No: WC 1/2/3 |Pack: 500 ml

1000 HVG SILICONE GREASE / COMPOUND



- Very good oxidation resistance
- Low vapor pressure & low volatility
- Very low bleed at high temperatures
- Service rating from -40°C to +200°C

Model No: |Pack: 1 kg

WELDERS ANTI SPATTER



- Provides Long Term Anti Adherent Effect
- Film Is Highly Resistant To Weathering
- Improves Surface Finish Extends
- Nozzle Life

Model No: |Pack: 500 ml

PLC 200 LUBRICANT & CLEANER FOR SPLICERS / KNOTTERS



- Non staining synthetic lubricant & cleaner
- Cleans moisture, dirt, dust, fluff
- Non sticky & leaves no carbon residue
- Reduces wear & protects from corrosion

Model No: |Pack: 500 ml

MOLD PROTECTOR



- Protective film assures complete surface protection
- Seals out moisture
- Stops further rusting

Model No: |Pack: 500 ml

FM SUPER CLEAN



- Food Grade Cleaner For
- Electrical & Mechanical Application

Model No: |Pack: 500 ml

SS 185 STAINLESS STEEL COATING



- Very high purity SS 316L flakes based coating
- Offers long term protection
- Fast air drying
- Leaves satin sheen like finish

Model No: |Pack: 500 ml

ASA 540



Welding Spatter Release & Prevention Liquid; Silicone Free- Prevents burning of welding spatters on contact tips & work pieces, Provides long lasting anti adherent effect, Improves surface finish, Extends nozzle life

Model No: |Pack: 5 l

P 20 PLASTIC SAFE CONTACT CLEANER



- Non flammable
- Evaporates fast
- Leaves no residue
- Plastic safe


Model No: |Pack: 500 ml

PENETROIL



- Multipurpose lubricant
- Stops squeaks
- Penetrates rust
- Displaces moisture
- Protects from corrosion
- Cleans contaminants

Model No: |Pack: 300 ml



Non-Exclusive Distributor

MOLYKOTE D-321 R ANTI-FRICTION COATING SPRAY



Aerosol: An air cured anti-friction coating filled with molybdenum disulfide and graphite.

Model No: D-321 | Pack: 400 g / 1 kg

MOLYKOTE P-37 ANTISEIZE PASTE



Extremely pure, solid lubricant paste for bolted joints; contains no lead, nickel, sulfur, chlorine or fluorine

Model No: P37 | Pack: 500 g

MOLYKOTE G-4700 EXTREME PRESSURE SYNTHETIC GREASE



NLGI Grade 2 - lithium complex thickened, uses molybdenum disulfide solid lubricants.

Model No: G-4700 | Pack: 1 kg

MOLYKOTE 44 MEDIUM HIGH TEMPERATURE GREASE



Grease that can be used in a broad range of temperatures and, in particular, can be used on high-temperature bearings

Model No: 44 | Pack: 100 g / 1 kg

MOLYKOTE 33 MEDIUM EXTREME LOW TEMPERATURE GREASE



Grease for use under a wide range of temperature conditions for light-load applications where there is metal-to-metal or metal-to-plastic friction at low to high speeds

Model No: 33 | Pack: 100 g / 1 kg

MOLYKOTE 55 O-RING GREASE



Silicone-based material that helps ensure positive lubrication and sealing by slightly swelling rubber O-rings and seals. This product is heat-stable and oxidation-resistant.

Model No: 55 | Pack: 100 g / 1 kg

MOLYKOTE BR-2 PLUS HIGH PERFORMANCE GREASE



High-performance Grease with solid Lubricants for metal/metal combinations involving slow to fast movements, particularly with medium to high loads

Model No: BR-2 PLUS | Pack: 1 kg

MOLYKOTE HSC PLUS PASTE



A mineral-oil-based anti-seize paste formulated with solid lubricants such as copper, molybdenum disulfide, and white solids.

Model No: HSC PLUS | Pack: 1 kg

MOLYKOTE LONGTERM 2 PLUS



Lubricating grease for metal/metal combinations with slow to medium-fast movements, especially with high loads.

Model No: 2 PLUS | Pack: 1 kg

MOLYKOTE 111 COMPOUND



NLGI Grade 3-4, translucent white, used primarily as a general purpose O-ring and valve lubricant.

Model No: 111 | Pack: 100 g / 1 kg

MOLYKOTE D-7409 ANTI-FRICTION COATING



A heat-cured anti-friction coating filled with molybdenum disulfide and graphite, higher load-carrying capability due to resin selection.

Model No: D-7409 | Pack: 5 kg

MOLYKOTE 3402-C LF ANTI-FRICTION COATING



An air-cured anti-friction coating filled with molybdenum disulfide and antimony trioxide.

Model No: 3402- C LF
Pack: 500 g

MOLYKOTE 3452 CHEMICAL RESISTANT VALVE GREASE



NLGI Grade 2-3 - Fluorosilicone-based grease with a base oil viscosity of 9930 cSt at 40°C, PTFE-thickened, uses PTFE as solid lubricants.

Model No: 3452 | Pack: 100 g

MOLYKOTE 3451 CHEMICAL RESISTANT BEARING GREASE



NLGI Grade 2 - Fluorosilicone-based grease with a base oil viscosity of 495 cSt at 40°C, PTFE-thickened, uses PTFE as solid lubricants.

Model No: 3451 | Pack: 100 g

MOLYKOTE 41 EXTREME HIGH TEMPERATURE GREASE



NLGI Grade 2 - Silicone-based grease with a base oil viscosity of 375 cSt at 40°C, carbon-black-thickened, with no solid lubricants.

Model No: 41 | Pack: 100g / 1 kg

MOLYKOTE DX PASTE



Grease-paste that reduces friction in low-speed, high-load applications by delivering a combination of white solid Lubricants with a mineral oil carrier fluid to the required point of lubrication.

Model No: | Pack: 100 g / 1 kg

MOLYKOTE G-N PLUS PASTE



Solid Lubricant paste for the assembly and running-in of metal components

Model No: | Pack: 1 kg

MOLYKOTE G-RAPID PLUS PASTE



Solid lubricating paste with particularly low friction coefficient for assembly and running-in of metallic components

Model No: | Pack: 1 kg

MOLYKOTE HIGH VACUUM GREASE



NLGI Grade 3-4, translucent white, used primarily in sealing vacuum and pressure systems.

Model No: | Pack: 100 g / 1 kg



Non-Exclusive Distributor

DRY MOLY SPRAY



Molyslip® DRY MOLY SPRAY is a high performance, resin-bonded, dry-film lubricant based on molybdenum disulphide.

Model No: M114004 | Pack: 400 ml

CERAMSLIP



MOLYSLIP CERAMSLIP is a premium performance, metal free anti-seize compound formulated to protect fasteners from seizure induced by extremes of temperature, pressure and corrosion.

Model No: M119005 | Pack: 500 g

GRAPHSLIP



Molyslip® GRAPHSLIP is a premium-performance, graphited anti-seize compound formulated to protect fasteners from seizure-induced by extremes of temperature, pressure, and corrosion.

Model No: M127005 | Pack: 500 g

PVG 679



MOLYSLIP PVG-679 AND PVG-679WG are fully synthetic greases that have been specifically formulated for the lubrication of gate and plug valves operating in the petrochemical industry.

Model No: M808020 | Pack: 22 kg

COPASLIP ANTI-SEIZE AEROSOL SPRAY



The semi-synthetic base fluid is reinforced with anti-oxidants, corrosion inhibitors and ultra pure copper particles to provide outstanding protection to threads and components.

Model No: M113004 | Pack: 400 ml

CU30



MOLYSLIP CU30 is a high performance, lead and zinc free production thread compound that can replace API Modified for casing, tubing and line pipe applications.

Model No: M804020 | Pack: 20 kg

VLS



Molyslip® VLS is an NLGI 1 biodegradable adhesive valve lubricant & sealant based on vegetable oil thickened with aluminum soap.

Model No: M805060 | Pack: 18 kg

MCC METAL CUTTING COMPOUND



MCC is a low melt point metal working compound developed with extreme pressure additives and fortified with MoS₂ to provide excellent performance and lubricity.

Model No: M240007 | Pack: 450 g

MSO SOLUBLE CUTTING OIL



Molyslip® MSO is a proprietary base, blended with low-gravity, solvent-refined neutral oils and is completely free from cresylic acid, phenols and cresols, and the alkalinity is controlled at pH7.

Model No: M244055 | Pack: 5 ltr

ARVINA SG3



MOLYSLIP ARVINA SG3 is a non-toxic, translucent, high-temperature long-life grease based on polydimethylsiloxane with an inorganic thickener system.

Model No: M314007 | Pack: 400g/450 g

ARVINA HX2



Molyslip® ARVINA HX2 is a mineral oil-based, calcium-sulphonate complex thickened grease designed to lubricate bearings operating under extreme high load conditions.

Model No: M310208 | Pack: 400 g/4.5 kg

ALUMSLIP



Molyslip ALUMSLIP is a high-temperature, anti-seize compound formulated to protect fasteners from seizure-induced by extremes of temperature, pressure, and corrosion.

Model No: M111005 | Pack: 500 g

COPASLIP



COPASLIP™ is a high-performance compound specifically formulated to protect fasteners from seizure-induced by extremes of temperature, pressure, and corrosion.

Model No: M111005
Pack: 100 g/500 g/5 kg

X12



Molyslip® X12 is a specially formulated moisture displacing corrosion preventative designed to provide long term protection of metallic components (>12 months indoor storage / short term outdoors).

Model No: M800515 | Pack: 20 ltr

X10



MOLYSLIP X10 is a fully synthetic, water soluble corrosion preventative concentrate based on a unique blend of high quality additives designed for use within the concentration range 2 - 10%.

Model No: M800315 | Pack: 20 ltr

X 50



MOLYSLIP X50 is a specially formulated moisture displacing corrosion preventing compound designed to provide long-term protection of oil country tubular goods.

Model No: M800920 | Pack: 20 kg

COPASLIP OCTG



MOLYSLIP COPASLIP OCTG is a premium performance, lead-free, tool joint & drill collar compound based on highly refined low sulphur, low pour point mineral oil thickened with calcium sulphonate complex soap.

Model No: M801020 | Pack: 20 kg

X1000 FLUID



Molyslip X1000 Fluid Rust Preventative is a specially formulated, water-dilutable rust preventative concentrate. The product is ideal for use to protect metallic components against rust.

Model No: M801115 | Pack: 20 ltr

GRAPHSLIP OCTG



MOLYSLIP GRAPHSLIP OCTG is a premium performance, metal-free, tool joint & drill collar compound based on highly refined low sulphur, low pour point mineral oil thickened with calcium sulphonate complex soap.

Model No: M803020 | Pack: 20 kg

ARVINA EH2



Molyslip® ARVINA EH2 is a premium-quality grease designed for the lubrication of ball, roller and plain bearings operating in high-temperature environments.

Model No: M320008 |Pack: 400 g

ARVINA FM2



Molyslip® ARVINA FM2 is a non-melting, food-grade grease designed for the lubrication of bearings operating in areas with the potential for incidental food contact.

Model No: M321007 |Pack: 400 g/4.5 kg

LQG LIQUID SPRAY GREASE



Molyslip® LQG is a multi-purpose lubricant consisting of a colloidal suspension of molybdenum disulphide in a semi-fluid grease.

Model No: M323004 |Pack: 400 ml

ARVINA OG-0



Excellent extreme pressure and anti-wear performance. Exceptional mechanical stability extends relubrication intervals. Very high water wash-off resistance

Model No: M325060 |Pack: 18 kg

ARVINA AW



Premium performance grease formulated using a combination of high-quality vegetable and ester base oils and advanced synthetic additives that have been specifically designed to operate in the most extreme environments.

Model No: M326560 |Pack: 18 kg

RED RUBBER GREASE



RED RUBBER GREASE is a high-quality lubricating grease manufactured from the highest quality vegetable oil, thickened with non-soap bentonite clays, together with corrosion and oxidation inhibitors.

Model No: M333005
Pack: 400 g/500 g/4.5 kg

WRL-CV



Molyslip® WRL-CV is a premium performance lubricant specifically designed to lubricate and protect steel wire ropes.

Model No: M330060 |Pack: 18 kg

WRL-S10



Molyslip® S10 is a premium-performance lubricant specifically designed to overcome the challenge of effectively lubricating and protecting steel wire ropes.

Model No: M334060 |Pack: 18 kg

WRL-S15



Molyslip® WRL-S15 is a premium performance lubricant specifically designed to overcome the challenge of effectively lubricating and protecting steel wire ropes.

Model No: M335015 |Pack: 20 ltr

WRL-E40



Steel wire ropes are complex in construction and are subjected to arduous operating conditions.

Model No: M336560 |Pack: 18 kg

WRL-C5



Molyslip® WRL-C5 is a premium performance lubricant specifically designed to lubricate and protect steel wire ropes.

Model No: M379045
Pack: 400 ml/4.5 kg /18 kg

COMBAT SPRAY



COMBAT® Spray is an advanced water-displacing fluid which deposits a protective and lubricating film.

Model No: M470004 |Pack: 400 ml

ZN 50 TOOL JOINT & DRILL COLLAR COMPOUND



MOLYSLIP ZN 50 is a water-resistant, high-pressure assembly and thread compound based on highly refined, low sulphur content mineral oil thickened with lithium soap and formulated to incorporate 50% metallic zinc.

Model No: M600120 |Pack: 20 kg

X30



Molyslip® X30 is a specially formulated solvent based, barium free corrosion preventative for the long term indoor protection and medium-term outdoor protection of metallic components and assemblies stored in the most severe environments.

Model No: M800615 |Pack: 20 ltr

AS 60



Molyslip® AS60 is a premium performance anti-scuffing and assembly paste containing pure molybdenum disulphide (MoS2).

Model No: M116005 |Pack: 500 g

ARVINA MX2



- High temperature capability up to 140°C
- Excellent load carrying and anti-wear properties
- Highly effective protection against corrosion
- Outstanding resistance to water wash-off

Model No: M310408 |Pack: 400 g

ARVINA HX2



- High-temperature capability up to 140°C
- Excellent load carrying and anti-wear properties
- Highly effective protection against corrosion.

Model No: M310208 |Pack: 400 G

DRY GRAPHITE



High performance, resin bonded, dry film lubricant based on high purity graphite. When applied to metal substrates the graphite forms a resilient, low friction film that protects against wear and corrosion.

Model No: M117004 |Pack: 400 ml

FOODSLIP



Molyslip® FOODSLIP is a premium-performance, food-grade anti-seize compound formulated to protect fasteners from seizure-induced by temperature, pressure, and corrosion.

Model No: M112005 |Pack: 500 g

TAP TAPPING FLUID



Excellent extreme pressure and anti-wear performance. Maximises tool life in arduous operations. Available in liquid, paste and aerosol form

Model No: M250103 |Pack: 350 ml



Authorized Distributor

FORM-A-GASKET NO.2 SEALANT



Permatex Form-A-Gasket No. 2 Sealant is a slow-drying, non-hardening sealant approved for use in aviation as well as automotive applications.

Model No:80016 |Pack: 3 oz
Model No:80011 |Pack: 11 oz

AVIATION FORM-A-GASKET NO. 3 SEALANT LIQUID



Permatex's Aviation Form-A-Gasket No. 3 Sealant Liquid is a slow-drying, non-hardening brush top sealant approved for use in aviation as well as automotive applications.

Model No: 80017 |Pack: 16 oz

BLUE LABEL CREAM HAND CLEANER



Permatex Blue Label Cream Hand Cleaner features a waterless formula that takes off difficult to remove substances yet are gentle to hands.

Model No:51531 |Pack: 2.04 kg

FORM-A-GASKET NO.1 SEALANT



Permatex Form-A-Gasket No. 1 Sealant is a fast drying, hard setting sealant designed for sealing rigid materials and flanges, or patching holes and joints where permanent assembly is desired

Model No:80008 |Pack: 3 oz
Model No:80003 |Pack: 11 oz

THREAD SEALANT



Permatex's High Temperature Thread Sealant locks and seals threaded fittings. Resists leakage, vibration loosening, moisture, hydraulic fluids and diesel fuels.

Model No: 59235 |Pack: 50 ml

THREAD SEALANT WITH PTFE



Permatex's Thread Sealant with PTFE is an economical general-purpose fitting sealant. Permatex's Thread Sealant outperforms traditional tapes and pipe dopes.

Model No:80632 |Pack: 4 oz
Model No:80633 |Pack: 16 oz

PIPE JOINT COMPOUND



Permatex's Pipe Joint Compound is an universal sealant that lubricates and seals threaded joints on water, oil and fuel lines.

Model No: 80045 |Pack: 16 oz

BLACK SILICONE ADHESIVE SEALANT



Permatex Black Silicone Adhesive Sealant is a general-purpose, black RTV indoor/outdoor sealant that bonds, seals, repairs, mends and secures glass, metal, plastics, fabric, vinyl, weather stripping and vinyl tops.

Model No:81158|Pack: 3 oz
Model No:81173|Pack: 12.9 oz

CLEAR SILICONE ADHESIVE SEALANT



Silicone Adhesive Sealant is a general-purpose, black RTV indoor/outdoor sealant that bonds, seals, repairs, mends and secures glass, metal, plastics, fabric, vinyl, weather-stripping and vinyl tops.

Model No:80050 |Pack: 3 oz
Model No:80855 |Pack: 11 oz

BELT DRESSING AND CONDITIONER



Permatex Belt Dressing and Conditioner extends belt life and penetrates the cord fibers of "V" belts to restore pliability and flexibility.

Model No: 80073 |Pack: 12 oz

HIGH-TEMP RED RTV SILICONE GASKET



Permatex red 26 RTV gasket maker with a 24 hour cure time. Delivers great performance with tensile strength of 218 psi. Minimum to maximum operating temperatures are 65.2 F to 649.4 F.

Model No:81160| Pack : 3 oz
Model No :81409|Pack: 11 oz

WINDSHIELD REPAIR KIT



Permatex's Windshield Repair Kit makes permanent air-tight repairs of bullseye damage up to 1 1/4" on most laminated windshield glass.

Model No:9103 |Pack: 0.75 ml

DIELECTRIC TUNE UP GREASE



Permatex Dielectric Tune Up Grease protects electrical connections and wiring from salt, dirt and corrosion.

Model No: 81150 |Pack: .33 oz

BLUE RTV SILICONE GASKET



A type of silicone sealant or gasket maker produced by Permatex, a well-known manufacturer of automotive maintenance and repair products.

Model No:80628 |Pack: 12.9 oz

GASKET SHELLAC COMPOUND



original quality formula, hard setting, economical sealant that seals all common gasketing materials in low temperature and low pressure applications.

Model No: 20539 |Pack: 2 oz

PRUSSIAN BLUE



Permatex's Prussian Blue aids precision-fitting of machined surfaces and locates high spots on bearings, valves, gears and other close-to-tolerance components.

Model No:80038 |Pack: .75 FL oz

BLUE RTV SILICONE GASKET MAKER



Permatex Ultra Blue is a multi-purpose sensor-safe, low-odor, non-corrosive RTV gasket maker. Ultra Blue is tested to OEM specifications and outperforms conventional silicones.

Model No:81724 | Pack : 3.35 oz
Model No :81725 |Pack: 13 oz

PERMATEX VALVE GRIND COMPOUND



Permatex Valve Grind Compound aids valve grinding and seating operations to remove burrs, surface defects, carbon, gum and corrosion.

Model No:80037 | Pack: 3 oz

FAST ORANGE PERMATEX PUMICE LOTION



Permatex Fast Orange Pumice Lotion Hand Cleaner is fortified with aloe, lanolin, glycerin, and other skin conditioners, to gently clean the toughest dirt.

Model No:25217 | Pack : 0.50 gal
Model No :25219 |Pack: 1 gal



Authorized Distributor

DV PLASTIC SYR 25 ML



Devcon® Plastic Welder™ is a strong structural adhesive formulated for bonding similar and dissimilar materials as well as unprepared metals.

Model No: 22045 |Pack: 25 ml

DEVCON WELD-IT CEMENT



Devcon Weld-It Cement is a great all-purpose adhesive with hundreds of uses for repairs, projects, arts and crafts, and more.

Model No: 18245 |Pack: 1 oz

DV 5 MIN EPOXY 25 ML



Devcon 5 Minute Epoxy is a two part, rapid curing, clear, general purpose epoxy. Better on rigid materials, this epoxy is useful for repairing cars, bikes, boats, golf clubs, skis and more

Model No: 20845 |Pack: 25 ml

DV 2 TON EPOXY 25 ML



Devcon 2-Ton Epoxy is an extremely strong, water-resistant epoxy adhesive that forms a powerful bond with ferrous and non-ferrous metals, ceramics, wood, concrete, or glass in any combination.

Model No: 31345 |Pack: 25 ml

DV PLASTIC STEEL EPOXY



Devcon Plastic Steel Epoxy is a two-part, high strength, cold-welding epoxy for use on all types of metal repairs. Non-flammable and water-resistant, this epoxy contains a steel alloy that will not rust.

Model No: 52345 |Pack: 2 oz

DV SILICONE ADHESIVE



Devcon Silicone Adhesive is a clear silicone that can be used for sealing, caulking and bonding a variety of materials.

Model No: 12045 |Pack: 1.76 oz

DEVCON CONTACT CEMENT



Devcon Contact Cement makes a tough, permanent, waterproof bond, ideal for repairing kitchen countertops, laminates, trims and moldings, leather, carpet and more.

Model No: 18045 |Pack: 1 oz

DV 60 SECOND EPOXY



Devcon Flow-Mix 60 Second Epoxy is a super-fast, clear, non-shrinking general purpose epoxy that provides instant adhesion.

Model No: 21445 |Pack: 14 ml

DV HOLD UNDERWATER EPOXY



A two-part, super flexible, toughened, non-corrosive epoxy specially designed for wet or dry bond on almost anything.

Model No: 22445 |Pack: 25 ml

DEVCON METAL PATCH AND FILL



Devcon Metal Patch and Fill repairs broken, rusted or corroded metal. Spread in a thin layer, this waterproof formula builds up worn surfaces and fixes gutter, grates, fencing, duct work, tanks, aluminum boats, etc.

Model No: 50345 |Pack: 3 oz

DV 5 MINUTE® EPOXY



Devcon 5 Minute Epoxy is a two part, rapid curing, clear, general purpose epoxy.

Model No: 20545 |Pack: 5 oz



Non-Exclusive Distributor

7HF



A highly-sensitive oil-based magnetic particle aerosol for nonfluorescent (visible) wet method magnetic particle testing to locate fine and medium discontinuities on finished parts.

Model No:7HF
Pack: 400 ml

WCP2



A bright white, opaque NDT contrast paint, WCP-2 provides a high contrast background to improve probability of detection and sensitivity during visible magnetic particle inspections.

Model No:WCP2
Pack: 400 ml

SKC-S



SKC-S is an NDT-approved solvent cleaner/remover for pre-cleaning before non-destructive testing and for removing excess surface penetrant from an inspection area before applying developer during liquid penetrant testing.

Model No:SKC-S
Pack: 400 ml

SKD-S2



A bright white, non-aqueous developer, SKD-S2 creates an opaque white background for high-contrast penetrant testing and quickly draws penetrant out to create stronger indications for better inspection reliability and sensitivity.

Model No: SKD-S2
Pack: 400 ml

SKL-SP2



SKL-SP2 is a solvent removable visible red dye penetrant. SKL-SP2 locates surface-breaking discontinuities with a simple three-step process that is ideal for basic industrial nondestructive testing.

Model No:SKL-SP2
Pack: 400 ml

SKL-WP2



Developed for large surface areas and rough surfaces and SKL-WP2 is a water-removeable dye penetrant for Type 2 penetrant testing in visible white light.

Model No:SKL-WP2
Pack: 400 ml

14 HF



14HF is a ready-to-use fluorescent magnetic particle ink for locating medium-fine discontinuities in critical parts by providing clear, bright, fluorescent green indications for excellent inspection quality and accuracy.

Model No:14HF
Pack: 400 ml



Exclusive Distributor

SPRAY NINE HEAVY DUTY CLEANERS AND DEGREASERS



- A multipurpose cleaner and disinfectant
- For cleaning, disinfecting, deodorizing and degreasing
- Water-based cleaning solution contains no petroleum solvents
- Removes dirt, mud, road film, bug splatter, grease, oil, brake dust, tar and light rust

Model No: 26832 | Pack: 32 oz

MARINE SPRAY NINE HEAVY-DUTY CLEANER



A Heavy-Duty Cleaner + Degreaser + Disinfectant that works above and below deck. Marine Spray Nine Heavy-Duty Cleaner + Degreaser + Disinfectant kills germs, removes stains & yellowing and eliminates bacterial odors with little effort.

Model No: 26932 |Pack: 32 oz

SPRAY NINE EARTH SOAP CONCENTRATED CLEANER



A bio-based safe alternative to solvent and caustic cleaning products, the corrosion inhibiting formula makes this product effective for use as a solution in traditional and heated parts washers (up to 180 degrees Fahrenheit).

Model No:27901|Pack: 1 gal

MARINE GREZ-OFF HEAVY DUTY DEGREASER



Marine Grez-Off® is a biodegradable, non-solvent heavy-duty degreaser that easily cuts through oil, grease and grime. Cleans and dissolves heavy soils on inboard & outboard motors, machinery and dock equipment.

Model No: 30232 |Pack: 32 oz

GENERAL PRESSROOM CLEANER



Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres. Use on machined surfaces & assemblies subjected to long periods of storage.

Model No:34532 |Pack: 32 oz

GREZ-OFF HEAVY DUTY DEGREASER



Grez-Off's award winning, grease busting power does the dirty work! This professional strength, biodegradable formula hits hard and fast with powerful water-soluble solvents.

Model No: 22732| Pack:32 oz

SPRAY NINE HEAVY DUTY CLEANERS AND DEGREASERS



- A multipurpose cleaner and disinfectant
- For cleaning, disinfecting, deodorizing and degreasing
- Water-based cleaning solution contains no petroleum solvents
- Removes dirt, mud, road film, bug splatter, grease, oil, brake dust, tar and light rust

Model No: 26801 | Pack: 1 gal

SPRAY NINE HEAVY DUTY CLEANERS AND DEGREASERS



- A multipurpose cleaner and disinfectant
- For cleaning, disinfecting, deodorizing and degreasing
- Water-based cleaning solution contains no petroleum solvents
- Removes dirt, mud, road film, bug splatter, grease, oil, brake dust, tar and light rust

Model No: 26805 | Pack: 5 gal

GREZ-OFF HEAVY DUTY DEGREASER



Grez-Off's award winning, grease busting power does the dirty work! This professional strength, biodegradable formula hits hard and fast with powerful water-soluble solvents.

Model No: 22732| Pack:32 oz

GREZ-OFF HEAVY DUTY DEGREASER



Grez-Off's award winning, grease busting power does the dirty work! This professional strength, biodegradable formula hits hard and fast with powerful water-soluble solvents.

Model No: 22705| Pack:5 gal

MARINE SPRAY NINE HEAVY-DUTY CLEANER



A Heavy-Duty Cleaner + Degreaser + Disinfectant that works above and below deck. Marine Spray Nine Heavy-Duty Cleaner + Degreaser + Disinfectant kills germs, removes stains & yellowing and eliminates bacterial odors with little effort.

Model No: 26901S |Pack: 1 gal



Non-Exclusive Distributor

PRESTONE ANTIFREEZE+COOLANT- ASIAN VEHICLE



Prestone's upgraded and patented technology provides instant protection to all engines, new and old. Optimizes engine temp, prevents freezing, PLUS protects parts from buildup & corrosion.

Model No: AF6300 |Pack: 6/1 gal

PRESTONE ANTIFREEZE+COOLANT



Optimized formula for All Vehicles; makes, models, years & fluid colors. Our patented technology provides instant protection to all engines, new and old.

Model No:AF2033 |Pack: 6/1 gal

ANTIFREEZE/COOLANT TESTER



Prestone Antifreeze/Coolant Tester is a professional do-it-yourself tester that easily tests for anti-freeze/anti-boil protection.

Model No: AF1420 |Pack: 6/1 pc

PRESTONE GM DEX-COOL ANTIFREEZE+COOLANT



Designed to work with all GM® vehicles 1995 & newer (GM®-approved), most Ford® vehicles 2011-2018 and most Chrysler® vehicles 2013 & newer. Manages engine temperature, prevents freezing and protects the engine from corrosion.

Model No:AF850&AF888|Pack:6/1 gal

PRESTONE COR-GUARD COMMAND NITRITE FREE EXTENDED LIFE ANTIFREEZE+COOLANT



Designed to work with all Class 1-8 vehicles; Heavy Duty and Light Duty. Utilizing Cor-Guard® technology, this formula is designed to protect cooling system parts from corrosion and damage.

Model No:AFC13000/13100|Pack: 6/1 gal

PRESTONE OCTANE BOOSTER



Prestone 0-60 Octane Booster is a 2-in-1 formula that boosts octane by up to 10 points to quickly eliminate engine knock. It also cleans injectors to help restore lost fuel efficiency, power, and performance.

Model No:AS740 |Pack: 16 oz

PRESTONE POWER STEERING FLUID WITH STOP LEAK



Prestone 0-60 Octane Booster is a 2-in-1 formula that boosts octane by up to 10 points to quickly eliminate engine knock. It also cleans injectors to help restore lost fuel efficiency, power, and performance.

Model No:AS262|Pack: 12 oz



Exclusive Distributor

INJECTION SYSTEM PURGE



Cleaning product to unclog dirt, varnish and carbon in fuel injectors and combustion chamber of vehicles.

Model No: W76695 | Pack: 1 ltr

COMMERCIAL VEHICLE INJECTOR CLEANER & FUEL FILTER PRIMER



Diesel Injector Cleaner & Fuel Filter Primer is a diesel additive, designed to restore the injector spray pattern, clean the fuel system & improving combustion.

Model No: W25290 | Pack: 1 ltr

COMMERCIAL VEHICLE COOLING SYSTEM TREATMENT & STOP LEAK



Bactericidal and fungicidal fluid for cleaning air conditioning systems, including the evaporator, and the interior of vehicles. It is packed in a spray can.

Model No: W45690 | Pack: 1 ltr

AIRCO PURE



Bactericidal and fungicidal fluid for cleaning air conditioning systems, including the evaporator, and the interior of vehicles.

Model No: W38501 | Pack: 150 ml

STARTING FLUID



Eases petrol and diesel engine starting at cold temperatures.

Model No: W58055 | Pack: 200 ml

ENGINE FLUSH



Wynn's Engine Flush is a highly detergent concentrate, designed to clean all oil lubricating systems prior to oil change.

Model No: W51265 | Pack: 425 ml

CATALYTIC CONVERTER & OXYGEN SENSOR CLEANER



Optimizes the efficiency of the catalytic converter and ensures the optimal working of the lambda (oxygen) sensors.

Model No: W25692 | Pack: 500 ml

SUPREMIUM® PETROL



Additive package developed to upgrade the quality of regular petrol or E10 fuel to premium-grade petrol.

Model No: W22810 | Pack: 250 ml

OCTANE BOOSTER & VALVE SEAT PROTECTOR



Raises the octane level of LRP or unleaded petrol.

Model No: W43873 | Pack: 325 ml

INJECTOR CLEANER FOR PETROL ENGINE



Cleans injectors and pump and keeps them clean.

Model No: W55964 | Pack: 325 ml

INJECTOR CLEANER



Cleans injectors and pump and keeps them clean

Model No: W24701 | Pack: 125 ml

PETROL TREATMENT



Keeps the petrol fuel system in optimal condition.

Model No: W65263 | Pack: 325 ml

FORMULA GOLD ENGINE TREATMENT



Chemical treatment completely soluble in oil that has a double action: 1) Increases compression 2) Reduces wear

Model No: W77101 | Pack: 500 ml

CHARGE® OIL TREATMENT



Improve the high temperature viscosity characteristics of engine oils.

Model No: W50240 | Pack: 400 ml

AIRCO-CLEAN ULTRASONIC FOR CARS



Cleans and disinfects the air conditioning surfaces eliminating bacteria and viruses in the vehicle in just 15 minutes.

Model No: E30205 | Pack: 100 ML

AIRCOMATIC® III



3 in 1 Ultrasonic nebulizer to be used with the products Wynn's Airco-Clean®, Wynn's Cabin Disinfectant and Wynn's Air Purifier.

Model No: W68480 | Pack: 1

STOP SMOKE



Oil soluble supplement designed to reduce exhaust smoke due to oil burning.

Model No: W50865 | Pack: 325 ml

OCTAN 10 PLUS



Wynn's Octan 10+ is an additive for gasoline engines that increases the octane rating. For all gasoline engines. Increases the octane number (RON) by 2 to 5 points.

Model No: W43863 | Pack: 325 ml

3 X A PETROL



3XA stands for 3x Action. It is a chemical treatment for petrol engines with triple action.

Model No: W70759 | Pack: 325 ml



Non-Exclusive Distributor

SILICONE REMOVER



Efficient means to quickly remove cured silicone and MS polymer residue.

Model No: | Pack: 100 ml

CUTTING OIL



Cutting oil is a light-colored mineral oil for drilling and cutting applications.

Model No: | Pack: 400 ml

LABEL REMOVER CITRUS



Citrus based cleaner. This cleaner is suitable for removing fresh adhesive residues.

Model No: | Pack: 400 ml

BRAKE CLEANER



Fast-drying cleaner for brake and clutch parts.

Model No: | Pack: 400 ml

GLASS AND MIRROR FOAM CLEANER



Professional quality, sprayable cleaning agent that provides a spotless streak-free finish. Suitable for cleaning most types of glass, mirrors, plastics and other hard surfaces.

Model No: | Pack: 750 ml

VASELINE SPRAY



Transparent lubricating and protective spray. Provides lubricating action on metals and plastics and protects against water and weather conditions, diluted acids and alkalis, as well as general wear and tear.

Model No: | Pack: 400 ml

WHITE GREASE



High-grade lubricant based on white lithium soap with PTFE for heavy duty applications. Has double effect: on the one hand it sprays like oil and has penetrating characteristics and on the other hand it sets like grease and has good adhesive properties and good pressure resistance.

Model No: | Pack: 400 ml

SILICONE SPRAY



Transparent lubricating and anti-adhesive spray. Reduces friction and prevents wear and tear on rubber and synthetic parts.

Model No: | Pack: 400 ml

MULTI SPRAY



High grade universal spray with 8-fold action: dust remover, lubricant, cleaner, penetrating oil, anti-corrosive, damp repellent, shock and contact spray.

Model No: Pack: 400 ml

PTFE SPRAY



High-quality lubricant based on PTFE. Repels water and dirt. Long life protection against friction and wear.

Model No: | Pack: 400 ml

DRY LUBRICANT



Very powerful silicone-free and mineral-oil-free lubricant with high resistance. Suitable for dry lubrication of friction points.

Model No: | Pack: 400 ml

DEGRIP ALL



Degrip All is a high quality penetrating oil which dissolves rust and corrosion. Perfect for loosening rusted screws and machine parts.

Model No: | Pack: 400 ml

ALU-ZINC SPRAY



High grade zinc spray (98% zinc content). Has a galvanizing action. Protects zinc and unprocessed iron and steel against corrosion. Due to its cathodic action, the spray is very economical and effective.

Model No: | Pack: 400 ml

ZINC SPRAY



High grade zinc spray (98% zinc content). Has a galvanizing action. Protects zinc and unprocessed iron and steel against corrosion. Due to its cathodic action, the spray is very economical and effective.

Model No: | Pack: 400 ml

CONTACT SPRAY



Universal spray for the cleaning and maintenance of electric contact areas.

Model No: | Pack: 400 ml

ADHESIVE REMOVER



Removes fresh glue stains. Cleans brushes, palette knives and spatulas. Removes excess contact adhesive.

Model No: Pack: 400 ml

CLEANER & DEGREASER



Powerful, fast-drying cleaner and degreaser for a wide range of applications. Ideal for preparation of surfaces before applying glue or joining. Ideal for removal of excess, unhardened MS, PU or silicone sealants, excess tar, grease and wax as well as cleaning and degreasing mechanical parts

Model No: | Pack: 400 ml

MULTI CLEANER



A universal cleaning foam spray. Foam action helps to break down dirt and contaminants. Does not drip.

Model No: | Pack: 400 ml

SEALANT REMOVER



Ready to use and fast-working spray for the removal of cured silicone and hybrid polymers. 400ml aerosol can.

Model No: | Pack: 400 ml



Exclusive Distributor

CAMP GRASSO MARINE



Lithium complex based lubricating grease, formulated with additives that make it specific for marine applications. Lubricates and protects against corrosion, even in the presence of prolonged washing action of rain and sea water.

Model No: 1008400 | Pack: 400 ml

CAMP RUST BLOCK



Latest generation rust converter and primer, specific for the treatment of rusty surfaces. Rust block spray transforms the layers of rust into an inert and stable metal-organic complex, blocking the oxidative process and creating a very compact and resistant brown anchoring base, ideal for the subsequent painting phases.

Model No: 1018400 | Pack: 400 ml

CAMP ZINC PRO LIQUID



Ready-to-use single-component protective coating with a high content of 98% pure zinc, suitable for professional repairs and treatments. Bright color and it is resistant to high temperatures and offers excellent weather resistance, prevents rust and oxidation.

Model No: 1035001 | Pack: 1 ltr

CAMP RUST BLOCK CONVERTOR



Oxide converter in specific gel formula for the treatment and elimination of oxide from partially or totally oxidized wood or maple surfaces. It prevents corrosion and dissolves metallic oxides by reacting chemically with the oxide and rapidly converting it into iron phosphate.

Model No: 1077500 | Pack: 500 ml

CAMP BLAST PASTA



The included glycerin works dermo protection and gives the skin a pleasant suppleness. The application of BLAST Pasta Lavamani is suitable for mechanics, printer work, bodies, loom-machine construction, steel industry.

Model No: 107400 | Pack: 1000

CAMP ARM PRO



High-tech protective lubricant, specific for the maintenance of all types of weapons. Protects from the corrosive effect of ash and gunpowder. Dissolves dust, lead, carbon and copper encrustations.

Model No: 1089200 | Pack: 200 ml

CAMP BLAST PASTA



The included glycerin works dermo protection and gives the skin a pleasant suppleness. The application of BLAST Pasta Lavamani is suitable for mechanics, printer work, bodies, loom-machine construction, steel industry.

Model No: 107400 | Pack: 4000 ml



Non -Exclusive Distributor

RIMULA R4 X 15W-40



Shell Rimula R4 X is designed to provide Triple Protection to improve engine and oil durability. It helps to lower maintenance and increase reliability of vehicles. It's suitable for most heavy-duty diesel engines.

Model No: R4 X 15W-40
Pack: 55 gal

RIMULA R2 20W-50



Shell Rimula R2 oils keep the engine clean. Additives ensure protection against deposits, wear and resist thickening by heat. Suitable for most heavy duty applications including turbo-charged engines.

Model No: R2 20W-50
Pack: 55 gal

TELLUS S2 M 32/46/68



Shell Tellus S2 M fluids are high performance hydraulic fluids that use Shell's unique patented technology to provide outstanding protection and performance in most manufacturing and many mobile equipment operations.

Model No: S2 M 32/46/68
Pack: 55 gal

TURBO OIL T 32/46/68



Shell Turbo Oils T have long been regarded as the industry standard turbine oil. Offer improved performance capable of meeting the demands of the most modern steam turbine systems and light duty gas turbines.

Model No: T 32/46/68
Pack: 55 gal

GADUS S2 V220 2



Extreme-pressure greases based on a blend of high viscosity index mineral oils and a lithium hydroxy stearate soap thickener and contain high-pressure.

Model No: S2 V220 2
Pack: 55 gal

OMALA S2 GX 150/220/320/460



Shell Omala S2 GX oils are high quality extreme-pressure (EP) oils designed primarily for the lubrication of heavy duty industrial gearboxes.

Model No: Omala S2 GX 150/220/320/460
Pack: 55 gal

OMALA S2 GX 220



Shell Omala S2 GX oils are high quality extreme-pressure (EP) oils designed primarily for the lubrication of heavy duty industrial gearboxes.

Model No: S2 GX 220
Pack: 55 gal

OMALA S2 GX 320



Shell Omala S2 GX oils are high quality extreme-pressure (EP) oils designed primarily for the lubrication of heavy duty industrial gearboxes.

Model No: S2 GX 320
Pack: 55 gal

OMALA S2 GX 460



Shell Omala S2 GX oils are high quality extreme-pressure (EP) oils designed primarily for the lubrication of heavy duty industrial gearboxes.

Model No: S2 GX 460
Pack: 55 gal

SHELL DIALA S4 ZX-I



Shell Diala S4 ZX-I is the new electrical insulating oil from Shell designed to meet the challenges presented by the latest power transformers.

Model No: S4 ZX-I
Pack: 55 gal

SHELL OMALA S4 WE 320



Shell Omala S4 WE is an advanced synthetic heavy duty industrial worm drive gear oil formulated using specially selected polyalkylene glycol base fluids and additives.

Model No: S4 WE 320
Pack: 55 gal

areon[®]
QUALITY PERFUME

Non-Exclusive Distributor

MON AREON



Flavours: Vanilla, Coconut, Mojito, Melon, Bubble gum, Black crystal, Apple & Cinnamon, Coffee, Cherry, Lily, Green tea and Lime, Strawberry

Model No: | Pack: 1 pc

AREON FRESCO



Flavours : Pine, Vanilla, Melon, Bubble gum, Coconut, Apple, Lavender, Black crystal, Lily, Lemon, Strawberry, Apple and Cinnamon, Peach, Coffee, Water Melon, Cherry

Model No: | Pack: 1 pc

AREON GEL



Flavours : Dream, Orange, Wish, Desire, Passion, Tutti Frutti, Vanilla, Bubble gum, Lilac, Black crystal, Antitobacco, Strawberry, Citrus Squash, Apple & Cinnamon, Water Melon, Peach

Model No: | Pack: 1 pc

AREON HOME



Flavours :French Garden, Osmanthus, Spa, Violet, Jasmine, Saffron, Mango, Neroli, Rose valley, Lilac, Black Crystal, Lily

Model No: | Pack: 50,85,150 ml

AREON KEN



Flavours :Apple, Cinnamon, Black Crystal, Blackcurrant, Bubble gum, Cherry, Coffee, Lemon, Lilac, Strawberry, Vanilla

Model No: | Pack: 1 pc

AREON PERFUME



Flavours: Vanilla, Apple & Cinnamon, Black Crystal ,Bubble gum, Coffee, Lilac, Strawberry, Coconut, Melon

Model No: | Pack: 35 ml

AREON FRESCO X



Flavours : Black Crystal, Vanilla, Bubble gum, Antitobacco, Strawberry

Model No: | Pack: 1 pc

AREON VERSION X



Flavours :Party, Vanilla, Bubble gum, Coconut, New car, Strawberry, Tutti Frutti, Californian Cherry, Summer Dream, Black Crystal ,Vanilla Black Cherry, Spring Bouquet

Model No: | Pack: 1 pc

AREON MONBRANE



Flavours : Iceberg, Bubble gum, Virtus Squash, Peach, Vanilla

Model No: | Pack: 1 pc

AREON PEARLS



Flavours : Black crystal, Bubble gum, Citrus Squash, Platinum, Silver, Spring Bouquet ,Vanilla Bubble, Verano Azul, Apple & Cinnamon, Coconut, Lilac, Peach, Strawberry, Watermelon

Model No: | Pack: 1 pc

AREON SMILE



Flavours : Apple & Cinnamon, Black Crystal, Bubble Gum, Fresh air, New Car, Strawberry, Tutti Frutti, Vanilla, Coconut

Model No: | Pack: 1 pc

AREON CLASSIC



Flavours : Black Crystal, Oxygen, Lily of the Valley, Bubble Gum, Vanilla, Apple & Cinnamon, New Car, Ocean, Melon, Party, Pine, Tutti Frutti, Strawberry, Coconut, Summer Dream, Green Apple, Peach

Model No: | Pack: 1 pc

AREON MONBRANE



Variants: Gold, Platinum, Silver

Model No: | Pack: 1 pc

AREON ROOM SPRAY



Flavours : Black Crystal, Bubble Gum, Mango, Patcholi, Vanilla, Apple & Cinnamon, Silver Linen, Spring Bouquet, Summer Dream

Model No: | Pack: 1 pc

AREON CANDLE



Flavours : Black Crystal, Vanilla Black, Apple & Cinnamon, Black Musk, Fine Tabacco, Liliac,Dolce Viaggio,Eau D'ete,Gold Amber, Lily of the Valley, Neroli

Model No: | Pack: 1 pc



Non-Exclusive Distributor

DOWSIL 734 CLEAR/WHITE



734 is a flowable liquid that is easy to use and cures on exposure to moisture in the air. Available in clear or in white.

Model No: 734 | Pack: 300 ml

DOWZIL 732 CLEAR/WHITE



- One-component adhesive/sealant that is easy to apply
- Non-sag, paste consistency that cures to a tough, flexible rubber
- Acetoxycure system that cures at room temperature when exposed to moisture in the air

Model No: 732 | Pack: 90 ml /300 ml

DOWZIL 736 RED



- One-component adhesive/sealant that is easy to apply
- Non-sag, paste consistency that cures to a tough, flexible rubber
- Acetoxycure system that cures at room temperature when exposed to moisture in the air

Model No: 736 | Pack: 90 ml /300 ml

LOXEAL

Exclusive Distributor

LOXEAL 18-10 PIPE SEALANT



Anaerobic adhesive for sealing of metal thread pipe joints. Suitable for gas, LP gas, compressed air, gasoline and oil, industrial fluids, CFC, water and several chemicals.

Model No:18-10 (567)
Pack: 50,75,250 ml

LOXEAL 24-18



Low strength anaerobic adhesive for thread sealing and thread locking of nuts, bolts and screws of all types that require to be easily dismantled.

Model No:24-18(222)
Pack: 10,50,250 ml

LOXEAL 55-03



Medium strength anaerobic adhesive for thread locking of nuts and bolts of all types that require to be dismantled. Suitable to be used on oily surfaces.

Model No:55-03(243)
Pack:10,50,250 ml

LOXEAL 58-11



Anaerobic curing adhesive for sealing of metal thread joints only.

Model No: 58-11(577)
Pack:50,75,100,250 ml

LOXEAL 85-21



Fast curing high strength anaerobic adhesive for locking and sealing threads, and retaining of cylindrical parts. It allows larger machining tolerances.

Model No:85-21(638)
Pack:10,50,250 ml

LOXEAL INSTANT ADHESIVE 43S



General purpose, surface insensitive medium viscosity instant adhesive based on ethyl cyanoacrylate.

Model No:43 S(401)
Pack:20,50,500 g

LOXEAL 83-54



High strength anaerobic adhesive for locking and sealing of studs, nuts, bolts and threaded fasteners not requiring dismantling.

Model No:83-54(270)
Pack:10,50,250 ml

LOXEAL 59-10



Loxeal 59-10 is a single component, medium strength anaerobic sealant with good heat resistance.

Model No: 59-10
Pack:75,300 ml

LOXEAL 58-31



Anaerobic curing adhesive for the gasketing and sealing of flanges. It replaces solid gaskets and gives flexible cured films.

Model No:58-31(518)
Pack:75,300 ml

LOXEAL 53-11



Medium strength anaerobic adhesive for retaining of bearings, liners, bushes, keys and splines. Highly resistant to heat, corrosion, vibrations, water, gases, oils, hydrocarbons and many chemicals

Model No:53-11(641)
Pack:10,50,250 ml

LOXEAL 53-11



Medium strength anaerobic adhesive for retaining of bearings, liners, bushes, keys and splines. Highly resistant to heat, corrosion, vibrations, water, gases, oils, hydrocarbons and many chemicals

Model No:53-11(641)
Pack:10,50,250 ml

LOCTITE

Non-Exclusive Distributor

LOCTITE 242



LOCTITE® 242 is a medium strength, medium viscosity, methacrylate-based thread locking adhesive offering general purpose qualities.

Model No:242 | Pack: 50 ml

LOCTITE 243



This iconic thread locker locks and seals metal nuts and bolts to prevent loosening due to shock and vibration. Medium strength, removable with hand tools.

Model No:243 | Pack: 50 ml

LOCTITE 401



LOCTITE® 401 is a fast curing instant adhesive designed for the assembly of difficult-to-bond materials requiring uniform stress distribution and high tensile and/or shear strength.

Model No:401 | Pack: 50 g

LOCTITE 406



LOCTITE 406 is a low viscosity, fast curing instant adhesive that is ideal for bonding plastics and elastomeric materials where very fast fixturing is required.

Model No:406 | Pack: 50 g

LOCTITE 222



LOCTITE® 222 is a low-strength thread locker that allows the adjustment of screws including countersunk head screws and set screws. Good on low-strength metals which could fracture during disassembly.

Model No:222 |Pack: 50 ml

LOCTITE 577



Medium strength, thixotropic general purpose thread sealant for straight-to-straight and straight-to-taper threaded fittings. Fills the space between threaded parts and seals and locks at the same time.

Model No:577 | Pack: 50 ml

LOCTITE 495



Loctite 495 is a transparent, colourless, low viscosity, general purpose ethyl-based instant adhesive offering fast bonding (5-20 secs fixture time). It is able to bond a wide range of materials, including plastics, rubbers and metals.

Model No:495 |Pack: 50 g



Non-Exclusive Distributor

MR® 72 WHITE CONTRAST PAINT



White contrast paint for magnetic particle inspection. Carrier medium Ketone. Dries quickly. Very good adhesion to all materials. High covering power. Forms a smooth, white film

Model No: MR72 | Pack: 500 ml

MR® 85 REMOVER



Pre-cleaner and penetrant remover, Colourless. Suitable for all metals and ceramics. Suitable for all metals (suitability for plastics needs testing prior to use). Carrier medium alcohol

Model No: MR85 | Pack: 500 ml

MR® 76 S VERSION S MAGNETIC POWDER



Black Magnetic Powder Suspension for Magnetic Particle Testing according to EN ISO 9934:1. Carrier medium oil. Average particle size 4. Settlement volume (1h) 0,40 – 0,80 ml / 100ml

Model No: MR76s | Pack: 500 ml

MR® 62 PENETRANT RED



Water washable penetrant red. Penetrant type 2 according to ASTM E1417. Listed in QPL SAE AMS 2644. Sensitivity class 2 according to AMS 2644. Crack indication colour red. Suitable for all metals. Carrier medium: mineral oil

Model No: MR62 | Pack: 500 ml

MR® 761 F MAGNETIC POWDER SUSPENSION



Carrier medium oil. High-brilliance – high fluorescence coefficient, therefore especially suitable for higher area illumination. Clear, precise indications especially suitable for rough surfaces.

Model No: MR761F | Pack: 500 ml

MR® 79 AMS REMOVER



Pre-cleaner and penetrant remover. Fast drying. Colourless. Suitable for all metals and ceramics (suitability for plastics must be checked before use). Carrier medium solvent Ketone mixture. Leaving no residues.

Model No: MR62 | Pack: 500 ml

MR® 71 PAINT REMOVER



Solvent-based (ester) remover for contrast paint in magnetic particle testing. Colorless, fast drying. Suitable for all metals and ceramics (plastics must be checked in advance)

Model No: MR71 | Pack: 500 ml



Non-Exclusive Distributor

CRC SP-400 CORROSION INHIBITOR



Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres.

Model No: | Pack: 500 ml/5 ltr

CRC GALVA BRITE



It is a combination of zinc and aluminum powders resins and additives formulated to form a flexible protective film with a bright glossy appearance

Model No: | Pack: 500 ml

CRC POWER CONTACT CLEANER



Exclusive cleaner for electrical equipment. A balanced solvent blend combined with an optimized spray power provide an exceptionally fast and efficient cleaning.

Model No: | Pack: 500 ml

CRC CO-CONTACT CLEANER SPRAY



Formula contains no known ozone depleting substances or VOCs. The non-flammable, plastic safe formula is an optimal alternative to CFC, HCFC and flammable contact cleaners. NSF K2 Registered.

Model No: | Pack: 400 ml

CRC LECTRA CLEAN



CRC Lectra Clean is a chlorinated solvent blend is designed to quickly and effectively clean electrical/mechanical components, preventing failures and malfunctions caused by contaminants such as dust, dirt, grease and oil.

Model No: | Pack: 500 ml

CRC INDUSTRIAL DEGREASER



Powerful, fast evaporating cleaner with a flash point of 25°C. Removes greases, oil, lubricants, non-cured adhesives and dirt from equipment, machines and metal parts. When applying to large surfaces or in dip baths, ensure explosion prevention.

Model No: | Pack: 500 ml

CRC 556



Displaces Moisture Starts Wet Engine, Prevents Electrical Failures Lubricates, Loosens Seized and Rusted Mechanisms Protects Against Humidity and Prevents Flash rust.

Model No: | Pack: 500 ml

CRC RUST REMOVER



CRC Rust Remover leaves metal clean and ready to paint, plate, or powder coat. No heavy wire brushing or sandblasting is required. CRC Rust Remover removes only the rust and will not damage metal surfaces.

Model No: | Pack: 5 l

CRC FAST DRY DEGREASER



Non-chlorinated degreasing solvent that removes oil, grease and other contaminants. Perfect for applications requiring quick turnaround and where a low flashpoint solvent can be used.

Model No: | Pack: 500 ml

CRC LECTRA CLEAN II



The chlorinated solvent blend is designed to quickly and effectively clean electrical/mechanical components, preventing failures and malfunctions caused by contaminants such as dust, dirt, grease and oil.

Model No: | Pack: 500 ml

CRC LECTRA CLEAN



For the detection of almost all gas leaks. Water based detector for gasses. Meets the requirements of EN 14291 and DVGW (Deutsche Vereinigung des Gas- und Wasserfaches) registration number NG-5170AS0069.

Model No: | Pack: 500 ml

OUR CUSTOMERS



هيئة كهرباء ومياه دبي
Dubai Electricity & Water Authority



الهيئة الاتحادية للكهرباء والماء
Federal Electricity & Water Authority



مترو دبي
Dubai metro



أدنوك
ADNOC



اينوك
ENOC



DP WORLD



عين دبي
AIN DUBAI



RTA



الاتحاد للقطارات
ETIHAD RAIL





Una
General Trading


OUR OFFICE





Una
General Trading LLC

www.unadxb.com



أونا جينيرال تريدينج م.م.ح
UNA GENERAL TRADING F.Z.E

Damascus Street, Al Qusais 1, Dubai-UAE
Office No : 04-3395394
Mobile : +971503464261 / +971509638539
Email : unadxb@gmail.com, sales@unadxb.com
Website: <https://www.unadxb.com>