



## SAFETY DATA SHEET

### Arvina MX2

Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name Arvina MX2  
UFI UFI: SNF1-K0VP-T00K-YH66

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Grease.  
Uses advised against Use only for intended applications.

##### 1.3. Details of the supplier of the safety data sheet

Supplier Molyslip  
Metalube Group Ltd  
4 Huntsman Drive  
Northbank Industrial Park  
Irlam  
Manchester  
M44 5EG  
UK  
+44 (0)161 775 7771  
+44 (0)161 775 7511  
compliance@molyslip.co.uk

##### 1.4. Emergency telephone number

Emergency telephone +44(0) 161 775 7771 (8am - 4pm)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (SI 2019 No. 720)

Physical hazards Not Classified  
Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318  
Environmental hazards Not Classified

##### Notes

##### 2.2. Label elements

###### Hazard pictograms



Signal word Danger

## Arvina MX2

|   |  |
|---|--|
| <b>Hazard statements</b>                      | H315 Causes skin irritation.<br>H318 Causes serious eye damage.  |
| <b>Precautionary statements</b>               | P264 Wash contaminated skin thoroughly after handling.<br>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.<br>P302+P352 IF ON SKIN: Wash with plenty of water.<br>P332+P313 If skin irritation occurs: Get medical advice/ attention.  |
| <b>Contains</b>                               | Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.   |
| <b>Supplementary precautionary statements</b> | P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P310 Immediately call a POISON CENTER/ doctor.<br>P321 Specific treatment (see medical advice on this label).<br>P362+P364 Take off contaminated clothing and wash it before reuse. |

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

|   |               |
|---|---------------|
| <b>Distillates (petroleum), hydrotreated heavy naphthenic &lt;3%<br/>DMSO</b><br>CAS number: 64742-52-5                      EC number: 265-155-0 | <b>30-70%</b> |
| <b>Classification</b><br>Not Classified   |               |
| <b>Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.</b><br>CAS number: 85536-14-7                      EC number: 287-494-3                       | <b>1-5%</b>   |
| <b>Classification</b><br>Acute Tox. 4 - H302<br>Skin Corr. 1C - H314<br>Eye Dam. 1 - H318<br>Aquatic Chronic 3 - H412                             |               |
| <b>Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts</b><br>CAS number: 70024-69-0                      EC number: 274-263-7         | <b>1-5%</b>   |
| <b>Classification</b><br>Skin Sens. 1B - H317   |               |
| <b>2-methylpentane-2,4-diol</b><br>CAS number: 107-41-5                      EC number: 203-489-0   | <b>1-5%</b>   |
| <b>Classification</b><br>Skin Irrit. 2 - H315<br>Eye Irrit. 2 - H319  |               |

## Arvina MX2

|  |                        |                 |
|--|------------------------|-----------------|
| <b>4,4'-methylene bis(dibutylthiocarbamate)</b>  |                        | <b>1-5%</b>     |
| CAS number: 10254-57-6   | EC number: 233-593-1   |                 |
| <b>Classification</b><br>Aquatic Chronic 4 - H413  |                        |                 |
| <b>Calcium dihydroxide</b>   |                        | <b>&lt;1%</b>   |
| CAS number: 1305-62-0  | EC number: 215-137-3   |                 |
| <b>Classification</b><br>Skin Irrit. 2 - H315<br>Eye Dam. 1 - H318<br>STOT SE 3 - H335   |                        |                 |
| <b>diphenylamine</b>   |                        | <b>&lt;0.1%</b> |
| CAS number: 122-39-4   | EC number: 204-539-4   |                 |
| M factor (Acute) = 1   | M factor (Chronic) = 1 |                 |
| <b>Classification</b><br>Acute Tox. 3 - H301<br>Acute Tox. 3 - H311<br>Acute Tox. 3 - H331<br>STOT RE 2 - H373<br>Aquatic Acute 1 - H400<br>Aquatic Chronic 1 - H410 |                        |                 |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**Composition comments**      None of the ingredients are required to be listed.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                   |  |
|-----------------------------------|--|
| <b>General information</b>        | Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.   |
| <b>Inhalation</b>                 | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist. |
| <b>Ingestion</b>                  | Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.  |
| <b>Skin contact</b>               | Rinse with water.  |
| <b>Eye contact</b>                | Rinse immediately with plenty of water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.                              |
| <b>Protection of first aiders</b> | First aid personnel should wear appropriate protective equipment during any rescue.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                            |   |
|----------------------------|---|
| <b>General information</b> | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
| <b>Inhalation</b>          | No specific symptoms known.   |

## Arvina MX2

|              |   |
|--------------|---|
| Ingestion    | May cause irritation.   |
| Skin contact | Redness. Irritating to skin.  |
| Eye contact  | Causes serious eye damage. Symptoms following overexposure may include the following:<br>Pain. Profuse watering of the eyes. Redness. |

### **4.3. Indication of any immediate medical attention and special treatment needed**

|                      |                                |
|----------------------|--------------------------------|
| Notes for the doctor | Treat symptomatically.         |
| Specific treatments  | No special treatment required. |

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire.   |

### **5.2. Special hazards arising from the substance or mixture**

|                               |   |
|-------------------------------|---|
| Specific hazards              | None known.   |
| Hazardous combustion products | Thermal decomposition or combustion products may include the following substances:<br>Harmful gases or vapours. |

### **5.3. Advice for firefighters**

|   |  |
|---|--|
| Protective actions during firefighting        | Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.  |

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

|                      |   |
|----------------------|---|
| Personal precautions | Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. |
|----------------------|---|

### **6.2. Environmental precautions**

|                           |   |
|---------------------------|---|
| Environmental precautions | Avoid discharge into drains or watercourses or onto the ground. |
|---------------------------|---|

### **6.3. Methods and material for containment and cleaning up**

|                         |   |
|-------------------------|---|
| Methods for cleaning up | Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13. |
|-------------------------|---|

### **6.4. Reference to other sections**

|                             |   |
|-----------------------------|---|
| Reference to other sections | For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13. |
|-----------------------------|---|

## Arvina MX2

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

**Advice on general occupational hygiene** Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

**Storage class** Chemical storage.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### 2-methylpentane-2,4-diol

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 25 ppm 123 mg/m<sup>3</sup>

##### Calcium dihydroxide

Long-term exposure limit (8-hour TWA): WEL 5 mg/m<sup>3</sup>

##### diphenylamine

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 20 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

#### Distillates (petroleum), hydrotreated heavy naphthenic <3% DMSO (CAS: 64742-52-5)

**DNEL** Workers - Inhalation; Long term local effects: 5.4 mg/m<sup>3</sup>

#### Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. (CAS: 85536-14-7)

**DNEL** Workers - Dermal; Long term systemic effects: 170 mg/kg  
 Workers - Inhalation; Long term systemic effects: 12 mg/m<sup>3</sup>  
 Workers - Inhalation; Long term local effects: 12 mg/m<sup>3</sup>  
 Consumer - Dermal; Long term systemic effects: 85 mg/m<sup>3</sup>  
 Consumer - Inhalation; Long term systemic effects: 3 mg/m<sup>3</sup>  
 Consumer - Oral; Long term systemic effects: 0.85 mg/kg  
 Consumer - Inhalation; Long term local effects: 3 mg/m<sup>3</sup>

## Arvina MX2

### PNEC

Fresh water; 0.287 mg/l  
marine water; 0.0287 mg/l  
Intermittent release; 0.0167 mg/l  
STP; 3.43 mg/l  
Sediment (Freshwater); 0.287 mg/kg  
Sediment (Marinewater); 0.287 mg/kg  
Soil; 35 mg/kg

### 2-methylpentane-2,4-diol (CAS: 107-41-5)

### DNEL

Industry, Workers - Inhalation; Short term local effects: 98 mg/m<sup>3</sup>  
Industry, Workers - Dermal; Long term systemic effects: 2 mg/kg/day  
Industry, Workers - Inhalation; Long term systemic effects: 14 mg/kg/day  
Industry, Workers - Inhalation; Long term local effects: 49 mg/m<sup>3</sup>

### PNEC

- Fresh water; 0.429 mg/l  
- marine water; 0.0429 mg/l  
- STP; 20 mg/l  
- Sediment (Freshwater); 1.79 mg/kg  
- Sediment (Marinewater); 0.179 mg/kg  
- Soil; 0.11 mg/kg  
- Intermittent release; 4.29 mg/l

## 8.2. Exposure controls

### Protective equipment



### Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

### Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

### Hand protection

Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacture, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

### Hygiene measures

Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

### Respiratory protection

Ensure all respiratory protective equipment is suitable for its intended use and is 'UKCA'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges suitable for intended use should be used. Full face mask respirators with replaceable filter cartridges suitable for intended use should be used. Half mask and quarter mask respirators with replaceable filter cartridges suitable for intended use should be used.

## Arvina MX2

### Environmental exposure controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|  |  |
|--|--|
| Appearance                                   | Grease.  |
| Colour                                       | Light brown. to Brown.   |
| Odour  | Characteristic.  |
| Odour threshold                              | No information available.  |
| pH   | No information available.  |
| Melting point                                | No information available.  |
| Initial boiling point and range              | No information available.  |
| Flash point                                  | > 300°C Cleveland open cup.  |
| Evaporation rate                             | No information available.  |
| Evaporation factor                           | No information available.  |
| Flammability (solid, gas)                    | No information available.  |
| Upper/lower flammability or explosive limits | No information available.  |
| Other flammability                           | No information available.  |
| Vapour pressure                              | No information available.  |
| Vapour density                               | No information available.  |
| Relative density                             | ~ 0.9 @ 20°C   |
| Bulk density                                 | No information available.  |
| Solubility(ies)                              | Insoluble in water.  |
| Partition coefficient                        | No information available.  |
| Auto-ignition temperature                    | No information available.  |
| Decomposition Temperature                    | No information available.  |
| Viscosity                                    | No information available.  |
| Explosive properties                         | No information available.  |
| Explosive under the influence of a flame     | Not considered to be explosive.  |
| Oxidising properties                         | Does not meet the criteria for classification as oxidising.  |
| Comments                                     | Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures. |

#### 9.2. Other information

|                   |                          |
|-------------------|--------------------------|
| Other information | No information required. |
|-------------------|--------------------------|

## Arvina MX2

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** See the other subsections of this section for further details.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No potentially hazardous reactions known.

#### 10.4. Conditions to avoid

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.

#### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** Not regarded as a health hazard under current legislation.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 13,333.33

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Animal data** Irritating.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Eye Dam. 1 - H318 Causes serious eye damage.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

#### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.



## Arvina MX2

**IARC carcinogenicity** None of the ingredients are listed or exempt.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development** Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

### Aspiration hazard

**Aspiration hazard** Not relevant. Solid.

**General information** The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

**Inhalation** No specific symptoms known.

**Ingestion** May cause irritation.

**Skin contact** Redness. Irritating to skin.

**Eye contact** Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.

**Route of exposure** Ingestion Inhalation Skin and/or eye contact

**Target organs** No specific target organs known.

## SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

### 12.1. Toxicity

**Toxicity** Based on available data the classification criteria are not met.

### 12.2. Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

### 12.4. Mobility in soil

**Mobility** No data available.

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

## Arvina MX2

|                            |  |
|----------------------------|--|
| <b>General information</b> | The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous. |
| <b>Disposal methods</b>    | Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.   |

### SECTION 14: Transport information

|                |  |
|----------------|--|
| <b>General</b> | The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). |
|----------------|--|

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78  
and the IBC Code

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

|                             |   |
|-----------------------------|---|
| <b>National regulations</b> | Health and Safety at Work etc. Act 1974 (as amended).<br>The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].<br>EH40/2005 Workplace exposure limits. |
|-----------------------------|---|

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

## Arvina MX2

|   |   |
|---|---|
| <b>Abbreviations and acronyms used in the safety data sheet</b> | <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</p> <p>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</p> <p>IATA: International Air Transport Association.</p> <p>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>CAS: Chemical Abstracts Service.</p> <p>ATE: Acute Toxicity Estimate.</p> <p>LC50: Lethal Concentration to 50 % of a test population.</p> <p>LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).</p> <p>EC<sub>50</sub>: 50% of maximal Effective Concentration.</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> |
| <b>Classification abbreviations and acronyms</b>                | <p>Eye Dam. = Serious eye damage</p> <p>Skin Irrit. = Skin irritation</p>   |
| <b>Classification procedures according to SI 2019 No. 720</b>   | <p>Eye Dam. 1 - H318: Skin Irrit. 2 - H315: : Calculation method.</p>   |
| <b>Training advice</b>  | <p>Only trained personnel should use this material.</p>   |
| <b>Revision date</b>  | <p>06/02/2024</p>   |
| <b>Revision</b>   | <p>7</p>  |
| <b>Supersedes date</b>  | <p>23/12/2022</p>   |
| <b>SDS number</b>   | <p>5315</p>   |
| <b>Hazard statements in full</b>                                | <p>H301 Toxic if swallowed.</p> <p>H302 Harmful if swallowed.</p> <p>H311 Toxic in contact with skin.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H315 Causes skin irritation.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H318 Causes serious eye damage.</p> <p>H319 Causes serious eye irritation.</p> <p>H331 Toxic if inhaled.</p> <p>H335 May cause respiratory irritation.</p> <p>H373 May cause damage to organs through prolonged or repeated exposure.</p> <p>H400 Very toxic to aquatic life.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p> <p>H413 May cause long lasting harmful effects to aquatic life.</p>   |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.